

Mylan's Epinephrine Auto-Injector Patient Resources

Mylan offers several patient resources to help increase access to epinephrine auto-injectors. Mylan is committed to ensuring that every patient who needs epinephrine auto-injectors has access to them.

Authorized Generic for EpiPen® (epinephrine injection, USP) Auto-Injector



Available for all patients prescribed EpiPen Auto-Injector or Mylan's authorized generic

Mylan offers the authorized generic (AG) for EpiPen Auto-Injector, at a wholesale acquisition cost (WAC) of \$300 per two-pack, which is more than 50% lower than the WAC of EpiPen Auto-Injector*. The device functionality and drug formulation is identical to the EpiPen Auto-Injector.

- Mylan offers an AG savings card that provides up to \$25 off the patient's out-of-pocket cost for the authorized generic for eligible patients with commercial health insurance**.
- Mylan offers a direct ship program, which provides the AG at \$300 per two-pack through a third-party pharmacy network.

For more information, including access to the savings card, visit MyGenericEAI.com.

*The final cost for patients will be determined by their healthcare insurance coverage.

**Eligibility restrictions apply. See Terms and Conditions. This offer is not valid for patients covered by Medicare, Medicaid or any other federal or state funded healthcare program or where prohibited by law. Mylan Specialty L.P. reserves the right to amend or end this program at any time without notice.

\$300 My EpiPen Savings Card®



Available for eligible commercially insured patients purchasing EpiPen® Auto-Injector

For commercially insured patients, the My EpiPen Savings Card provides savings of up to \$300 off the patient's out-of-pocket cost for each EpiPen 2-Pak® per prescription, up to six EpiPen 2-Pak cartons per year†.

For more information, including access to the savings card, visit epipen.com/savings.

†Eligibility restrictions apply. See Terms and Conditions. This offer is not valid for patients covered by Medicare, Medicaid or any other federal or state funded healthcare program or where prohibited by law. Mylan Specialty L.P. reserves the right to amend or end this program at any time without notice.

EpiPen4Schools®



Available for qualifying‡ schools

Mylan offers four free epinephrine auto-injectors to qualifying public and private kindergarten, elementary, middle and high schools in the U.S. Since 2012, more than [900,000] free epinephrine auto-injectors have been distributed to more than [72,000] schools – more than half of all U.S. schools.

For more information, visit epipen4schools.com.

‡A school will only receive epinephrine auto-injectors in accordance with all applicable laws. A school must submit a valid prescription in order to qualify for this program.

Patient Assistance Program



Available for uninsured and underinsured patients

Mylan's patient assistance program provides eligible patients with free epinephrine auto-injectors for those earning up to 400% of the Federal Poverty Level. This means a family of four making up to \$98,400 would pay nothing out of pocket for their epinephrine auto-injector.

For more information, contact Mylan Customer Relations at **800-395-3376** or customer.service@mylan.com

Indications

EpiPen® (epinephrine injection, USP) 0.3 mg and EpiPen Jr® (epinephrine injection, USP) 0.15 mg Auto-Injectors are for the emergency treatment of life-threatening allergic reactions (anaphylaxis) caused by allergens, exercise, or unknown triggers; and for people who are at increased risk for these reactions. EpiPen® and EpiPen Jr® are intended for immediate administration as emergency supportive therapy only. Seek immediate emergency medical help right away.

Important Safety Information

Use EpiPen® or EpiPen Jr® Auto-Injectors right away when you have an allergic emergency (anaphylaxis). **Get emergency medical help right away.** You may need further medical attention. Please see additional Important Safety Information on next page.

Mylan's Epinephrine Auto-Injector Patient Resources

Important Safety Information, continued

Only a healthcare professional should give additional doses of epinephrine if you need more than two injections for a single anaphylactic episode. EpiPen® or EpiPen Jr® should only be injected into the middle of your outer thigh (upper leg), through clothing if necessary. Do not inject into your veins, buttocks, fingers, toes, hands or feet. Hold the leg of young children firmly in place before and during injection to prevent injuries. In case of accidental injection, please seek immediate medical treatment.

Rarely, patients who have used EpiPen® or EpiPen Jr® may develop an infection at the injection site within a few days. Some of these infections can be serious. Call your healthcare professional right away if you have any of the following at an injection site: redness that does not go away, swelling, tenderness, or the area feels warm to the touch.

Tell your healthcare professional about all of your medical conditions, especially if you have asthma, a history of depression, thyroid problems, Parkinson's disease, diabetes, high blood pressure or heart problems, have any other medical conditions, are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. Be sure to also tell your healthcare professional all the medicines you take, especially medicines for asthma.

If you have certain medical conditions, or take certain medicines, your condition may get worse or you may have longer lasting side effects when you use EpiPen® or EpiPen Jr.®

Common side effects include fast, irregular or "pounding" heartbeat, sweating, nausea or vomiting, breathing problems, paleness, dizziness, weakness, shakiness, headache, feelings of over excitement, nervousness or anxiety. These side effects usually go away quickly if you lie down and rest.

Tell your healthcare professional if you have any side effect that bothers you or that does not go away.

Please see full [Prescribing Information](#) and [Patient Information](#).

For additional information, please contact us at [800-395-3376](tel:800-395-3376).

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit www.fda.gov/medwatch or call [1-800-FDA-1088](tel:1-800-FDA-1088).